

VERSAHIT

Powerdock with independent sliding covers

NOTE | NOTES

- Other finishes available upon request.
- Indoor use only.

Meaning for the protection IP54: With closed covers, the access of dust and liquids will not damage the device.

First characteristic numeral indicates the degree of protection against access to hazardous parts and against solid foreign objects.

5* Protected against dust» Total protection against access of solid foreign objects.

Second characteristic numeral indicates the degree of protection against water.

4* Protection against ingress of water splashed on the housing from all directions.

* The IP protection degree is guaranteed only with closed lids

- Warning: The product was designed to drain water that may be accidentally spilled over (when the lids are closed), for this reason make sure that the bottom side of the housing of the product is always free so that it can drain the water inside.

- Pay particular care during installation because the product is not provided with a water collecting tray so should not be placed in areas where the drained water below can cause damages.

- If the product is mounted in areas at risk of contact with water, it is necessary to apply silicone or similar sealants on the panel where the frame stands.


- This appliance must be connected to a main socket correctly installed and provided with ground connection in accordance with current norms.





WEEE - Waste of electric and electronic equipment. These products must be recycled properly and should not be disposed as household waste. Disposal in general household waste is prohibited.

All dimensions quoted are nominal only. Drawings and images are for illustrative purposes only.
All product dimensions and specifications are subject to change without notice.

DIMENSIONI (mm) | DIMENSIONS (mm)



*presa svizzera 50 mm
*swiss socket



PIANO DI TAGLIO | CUT OUT DIMENSION

